



TABLE OF CONTENTS

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
WORKWEAR	11	Dapro Spectre Softshell Jacket	83
Dapro Kids Coverall	13	Dapro PU Hydrolite Rainsuit	84
Dapro Worker 1 Coverall Kneepads	19	Dapro Protector Coverall Reflect	85
Dapro Worker 2 Coverall	26	Dapro Protector Bib	86
Dapro Toughwear 2 Coverall Kneepads	28	Dapro Protector Pant	88
Dapro Industry Coverall	32	Dapro Protector Bodywarmer	91
Dapro Roughneck Coverall	33	Dapro Basic Fleece	94
Dapro Roughneck Bib	37	Dapro Defender Fleece	95
Dapro Roughneck Jacket	38	Dapro Offshore Bag	97
Dapro Roughneck Pant	40	Dapro C9 Hood	98
Dapro Diamond Coverall	42	BASELAYER	101
Dapro Diamond Bib	46	Dapro Balaclava	103
Dapro Diamond Jacket	47	Dapro Polar Balaclava	104
Dapro Diamond Pant	48	Dapro Frost Multi-Use Neck Warmer	105
Dapro Spark Coverall	49	Dapro Frost Shirt	106
Dapro Spark Bib	52	Dapro Frost Pant	107
Dapro Spark Jacket	53	Dapro Phoenix Socks	108
Dapro Spark Pant	54	·	
Dapro Rope Access Coverall	55	EYEWEAR	110
Dapro Globe-Tech Coverall	58	Dapro Offshore Glasses	111
Dapro Globe-Tech Bib	59	FOOTWEAR	113
Dapro Globe-Tech Jacket	60	Dapro Offshore C S7 C	115
Dapro Globe-Tech Pant	61	Dapro Offshore C S7 C Subzero® T400 Fur	116
Dapro Globe-Tech Polo	62	Dapro Flame Knit C S1P C	117
Dapro Globe-Tech Shirt	63	Dapro Black Phoenix C S3 C	118
Dapro Globe-Tech Sweater	64	Dapro Court High S3 C	119
Dapro Volt Hi-Vis Class 2 Coverall	65	Dapro Elements 2 S3 C	120
Dapro Kneepads	66	Dapro Elements 2 Pro C S3 C	121
OUTERWEAR	69	Dapro Elements 3 C S3 C	122
Dapro Phase 1 Jacket	71	Dapro Driller C S3 C	123
Dapro Access Jacket	74	Dapro Rigger C S3 C	125
Dapro Access Bomber Jacket	78	Dapro Baron S3 C	126
Dapro Infinity Jacket	79	Dapro Noble S3 C	127
Dapro Globe-Tech Jacket	82	Dapro Noble Welding S3 C	129

We are always working to improve our products and achieve the perfect design to ensure the safety and comfort of our clients. Follow us on our social media channels to stay up-to-date with our latest models!

130

131

132

133

134

135

136

137

141

145

146

147

148

150

152



Dapro Dauntless S3 C

Dapro Intrepid S3 C

FOOTWEAR MADE-TO-ORDER

Dapro Petromaster C S7 C

Dapro Rigmaster C S7 C

Dapro Elements 1 C S3 C

Dapro Chelsea Boot C S3 C

Dapro Commissioner C S3 C

Dapro Female Offshore C S7 C

Dapro Canyon Laceless C S3 C

Dapro Commissioner Slip On C S3

Dapro Laces

Dapro Dauntless S3 C SubZero® Fur

Dapro Intrepid S3 C SubZero® Fur

Dapro 3D Premium Comfort Insole

Dapro Petromaster C S7 C Subzero® T400 Fur 139

Dapro Rigmaster C S7 C Subzero® T400 Fur 143













Company profile

Dapro specializes in the development and manufacturing of Personal Protection Equipment for the petrochemical industry. Dapro is the premier flame retardant garment producer of the world. The product scope of Dapro consists of 5 product groups: Workwear, Outerwear, Base Layer, Footwear & Eyewear


"Tailormade products are a specialty for which Dapro is well-known. With 'Dapro Tailor-Made Projects,' Dapro carefully listens to its users and creates products that cater to the needs and corporate identity of its clients."

Dapro's goal is to provide people working in hazardous environments with products that make their jobs safer. Innovation is central to Dapro, as is the continuous strive for highly durable, comfortable and protective products that exceed the standards of the industry.

The success of Dapro lies in combining these traits without compromise by using high tech materials and innovative design. The result is the use of Dapro products in 63 countries divided over 6 continents.

One example of the innovative features of Dapro is 'Dapro Action Armpits'. This innovative design gives the user the freedom to work comfortably above reach in a coverall (one-piece garment).

At Dapro your safety is the number one priority. Your life depends on it. For more information, please visit www.dapro-safety.com.



Some of our customers



Schlumberger



HALLIBURTON



Baker Hughes \geqslant















Dapro around the world

3





Eco friendly manufacturing

Dapro has been a frontrunner in using eco-friendly materials and technology in its production processes. In our facilities, we take sustainability to the next level. Our facilities have rooftop energy sources. Solar power is a clean and efficient way of powering our production processes and lighting the facilities. In addition, Dapro uses low chromium content leather in its safety shoe production. Waste is reduced to a minimum in all our factories by means of stringent recycling policies. At Dapro we take sustainability as serious as we do safety.

OEKO-TEX Standard 100

The OEKO-TEX® Standard 100 is an independent test and certification system for textile raw, intermediate and end products at all stages of processing. The test for harmful substances covers: Legally banned and controlled substances; Chemicals known to be harmful (but not yet legally controlled); Parameters for health protection. The more closely the product is in contact with the skin, the stricter the human ecology requirements are that it must meet.

With our exceeding parameters on breathability for higher comfort and durability Dapro is leading with returning happy customers all over the world.


Flame-retardant Nano-Technology

A special Guardian® flame-retardant, breathable and waterproof membrane is attached to a Guardian® Polyester Outer Shell. A seperate flame-retardant lining ensures a comfortable soft touch and warmth. It is possible to combine this construction with SubZero® insulation, which keeps the body dry and warm in even the most extreme conditions.

Anti-static fabric technology

Guardian® anti-static fiber is a multi-filament bi-component yarn. Each filament has a unique conductioning core surrounded by a sheat of fibers. It has been designed to provide optimal anti-static protection in grounded and ungrouded environments according to end-use specifications.

Most of our competitors supply anti-static garments which only comply to EN 1149-5. Dapro garments are certified and compliant to EN 1149-5 and to the most stringent anti-static standard called 'The Gasprobe Test'. This standard tests the garment in both ungrounded situations and real-world scenarios, such as standing in oil or being suspended by a fall arrest system.







Quality testing and traceability

Each Dapro product must pass stringent quality and safety tests. Unlike most competitors who only test their products with a Notified Body for international certification, all Dapro products are officially certified by Notified Bodies and often exceed these standards. Our factories utilize, in addition to international certification testing, in-house laboratories where all materials and final products are continuously tested, to guarantee that every product meets both international and Dapro standards. See a list of some of our standard in-house tests below:

- > Water resistance and breathability of fabrics, leather, seams and garments
- > Fabric/leather elongation, tear and tensile strength
- > Leather chromium VI content and pH levels
- > Impact compression & perforation resistance on shoe hardware
- > Colour fastness
- > Shade variations
- > Shrinkage
- > Flame-retardant properties
- > Button pull testing
- > Pilling

Every Dapro product has a unique tracking code.


With this code we can see exactly which batch of materials was used and which employees were involved in the production of the product. This ensures accountability in our whole production process.

Manikin Test

EN ISO 11612 is the international standard for industrial flame-retardant garments. EN ISO 11612 offers an optional test known as the 'Manikin Test'. This test involves exposing a manikin wearing our garment to a minimum 3-second flash fire. The test results predict the extent of skin burns for our product.

Dapro supplies the best flame-retardant garments in the world. That is why we do the 'Manikin Test' at 4 seconds and still achieve industry leading results. Please see the results in our burn injury prediction diagram.







Certification information



Specifies various general performance requirements including ergonomics, size and marking of protective clothing and accompanying user info.





EN ISO

Specifies performance requirements for safety garments to protect from heat and flame, where there is a need for clothing with limited flame spread properties and where the user can be exposed to radiant, convective, contact heat or to molten metal splashes. Classifications:

A = Flame distribution (A1 = Superficial flame, A2 = Peripheral flame)

B = Convective heat (Class 1 - 3)

C = Radiating heat (Class 1 - 4)

D = Molten aluminium (Class 1 - 3)

E = Molten Iron (Class 1 - 3)

F = Contact heat (Class 1 - 3)



EN ISO

Specifies the performance requirements for the limited flame spread properties of materials, material assemblies and protective clothing in order to reduce the possibility of the clothing burning and thereby itself constituting a hazard. Protective clothing complying with this International Standard is intended to protect workers against occasional and brief contact with small igniting flames, in circumstances where there is no significant heat hazard and without the presence of another type of heat. Icon only shown when certified in combination with EN ISO 11612:2015. Index:

1: hole may be formed, no flame spread, no flaming debris

2: no hole formation, no flame spread, no flaming debris, after flame / glow time > 2s

3: no hole formation, no flame spread, no flaming debris, after flame / glow time < 2s



FN 1149-5

Specifies material and design requirements for electrostatic dissipative protective clothing, used as part of a total earthed system, to avoid incendiary discharges. The requirements may not be sufficient in oxygen enriched flammable atmospheres. This European Standard is not applicable for protection against mains voltages.



EN ISO 11611

Specifies safety requirements for protective clothing to be worn during welding and similar processes with comparable risks, to protect against spatter (small splashes of molten metal), short contact time with flame, radiant heat from the arc and minimizes the possibility of electrical shock by short-term, accidental contact with live electrical conductors in normal conditions of welding. (Class 1 - 2)



EN 13034



EN 13758-2

Specifies the requirements for chemical protective clothing partial (Type PB [6]) or full body (Type 6), intended for use in cases of a potential exposure to a light spray, liquid aerosols or low pressure, low volume splashes and partial body protection.

This European Standard specifies the requirements for marking of clothing which are designed to offer the wearer protection against solar ultraviolet radiation exposure.



Requirements and test methods for fabrics and seams of protective clothing against the influence of rain, snow, fog and ground humidity. Resistance to water penetration (A) and water vapour resistance (B) is measured.

A: Resistance to water penetration: 1-4, where class 4 provides the best waterproofness B: Breathability – water vapour resistance: 1-4, where class 4 provides the best breathability

C: Impact from above with high energy droplets (optional)



This standard specifies the requirements and test methods for the features of garments for protection of the body against cold environments with temperatures above -5 °C.

A: Thermal resistance rct (class 1 - 3) B: Air permeability (class 1 - 3) (optional)

C: Water vapour permeability (optional)

D: Resistance water penetration (class 1 - 2) (optional)





Specifies the necessities and test methods applicable to materials and garments for protective clothing for electrical workers against the thermal hazards of an electric arc based on properties of the textiles tested with selected test methods.

The arc rating of materials (ATPV or EBT50) when tested with an open electric arc under defined laboratory conditions according to IEC 61482-1-1.



IEC 61482-2

The arc protection class of materials and garments (Class 1 or Class 2), when tested with a directed and constrained electric arc under defined laboratory conditions according to IEC 61482-1-2 requirements of this standard do not address electric shock hazards. The present standard is applicable in combination with standard covering such hazards.



EN ISO 20471

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials. (Class 1 - 3)



EN 17353 Type X

This European standard specifies the requirements for enhanced visibility equipment in the form of garments, or devices, which are capable of visually signalling the user's presence. The enhanced visibility equipment is intended to provide conspicuity of the wearer in medium risk situations under any daylight conditions and/or under illumination by vehicles headlights or searchlights in the dark.





Specifies basic and additional (optional) requirements for safety footwear used for general purpose. It includes, for example, mechanical risks, slip resistance, thermal risks, ergonomic behaviour.



EN 166

Specifies the core technical industrial safety norm in Europe for eye protection applying to all types of individual protection of the eye which protects from hazards likely to damage the eye, except for nuclear radiation, x-rays, laser emissions and infrared emitted by low temperature sources.

Dapro Stock

















EN ISO

Product Name	Color	GSM	(EN 340)	A1B1C1E1F1	Index 3		A1 Class 1			
Workwear										
Kids Coverall	NB RB OR RE PI SB	200	N/A							
Worker 1 Coverall	NB RB OR RE WG SB WH	200	~							
Worker 2 Coverall	NB OR	200	~							
Toughwear 2 Coverall	NB AB OR AR	200	~	A1 B1 C1	~	~			ATPV=5,1cal/cm2	
Industry Coverall	NB	350	~	A1 B1 C1 F1	~	~	~		APC 1	ì
Roughneck Coverall	NB RB OR RE	240	~	~	~	~	~	~	✓	
Roughneck Jacket	NB RE	240	~	~	~	~	~	~	~	
Roughneck Pant	NB RE	240	~	~	~	~	~	~	~	
Diamond Coverall	NB RB OR RE	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Spark Coverall	NB RB BL	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Spark Bib / Jacket / Pant	NB	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Diamond Bib / Jacket / Pant	RE	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Rope Access Coverall	NB OR	350	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Rope Access Coverall IFR	OR	260	~	~	~	~	~	~	ATPV=10,4cal/cm2	
Globe-Tech Coverall IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Bib IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Jacket IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Pant IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Polo IFR	BL HVYE	220	~	A1 B1 C1		~				
Globe-Tech Shirt IFR	BL HVYE	260	~	~	~	~	~	~	~	
Globe-Tech Sweater IFR	BL HVYE	340	~	A1 B1 C1 F1		~				
Volt Hi-Vis Class 2 Coverall IFR	NB HVYE	260	~	A1 A2 B1 C1 E1 F1	~	~	A1+A2 Class	V	APE 1	~
Kneepads	ЕВ	N/A	N/A							

Dapro Stock



EN ISO





4















Product Name	Color	GSM	13688 (EN 340		Outer: Index 1 Inner: Index 3		A1 Class 1	Туре РВ [6]		20471	1/353	Class 1
Outerwear												
Phase 1 Jacket	NB NB HVYE NB HVOR	260	~	A1 B1 C1 D3	E3 F1 Index 3	V	A1 Class 1	Туре 6	~	Only with C15-2 Jackets		APC 1
Access Jacket	NB BL NB HVYE NB HVOR	260	~		~	V		~	V	Only with C9-2 Jackets		
Access Bomber Jacket	NB HVOR	260	~		~	V		V	V	~		
Infinity Jacket	NB NB HVYE NB HVOR	260	~		~	~		~	✓	V		
Globe-Tech Jacket	BL HVYE	300	~	A1 B1 C1 D3	E3 F1 Index 3	V	~	~	V		~	APC 1
Spectre Softshell Jacket	NB HVYE	350	~	A1 A2 B1 C	≀ F1	V	A1 + A2 Class 2	~		~		~
PU Hydrolite Rainsuit	NB	190	~		Index 1	V			V			
Protector Coverall Reflect	HVOR	260	~		~	V		Type 6	V	~		
Protector Bib	NB HVYE NB HVOR	260	~		~	V		~	✓	~		
Protector Pant	NB NB HVYE NB HVOR	260	~		~	V		~	V	Only with C9-2 Pants		
Protector Bodywarmer	NB NB HVYE NB HVOR	260	~		~	V		~	V	Only with C9-2 Bodywarm	ers	
Basic Fleece	BL	260	~									
Defender Fleece	NB RB	320	~	A1 B1 C1	Index 3	~						ATPV=5,1cal/cm2
C9 Hood	NB	260	~		~	~		~	~			
Base Layer												
Balaclava IFR	BL	250	~	A1 B1 C1	Index 3	~						
Polar Balaclava IFR	BL	250	~	A1 B1 C1	Index 3	~						
Frost Neck Warmer IFR	BL	250	~	A1 B1 C1	Index 3	V						
Frost Underwear Shirt IFR	BL	250	~	A1 B1 C1	Index 3	~						
Frost Underwear Pant IFR	BL	250	~	A1 B1 C1	Index 3	~						
Dapro Phoenix Socks	NB BL	N/A	N/A									

Dapro Footwear Stock

Product Name	Color
Platinum Range	
Offshore C S7 C*	BL/BL **
Female Offshore C S7 C1	BE/BE
Petromaster C S7 C1*	BL/BL BR/BR
Rigmaster C S7 C1*	BL/BL BR/BR
Sports Range	
Sports Range Flame Knit C S1P C	BL OR
	BL OR
Flame Knit C S1P C	
Flame Knit C S1P C Black Phoenix C S3 C	BL WH

Features	res Platinum Range Sports Range	
EN ISO 20345	2022 SR	2022 SR
Metal free / Non-magnetic	Metal free	Flame Knit C S1P C, Black Phoenix C S3 C, Court High C S3, Commissioner C S3: Non-magnetic Commissioner Slip On C S3: Metal free
Water resistant	✓ (Waterproof Membrane)	✓
Upper	Full grain leather	Flame Knit C S1P C: Knitted polyester Black Phoenix C S3 C: Nubuck finish microfiber Court High C S3: Grain/microfiber Commissioner (Slip On) C S3, Full grain leather
Sole	ESD PU/Nitrile	PU/Nitrile
Anti-slip and Anti-shock	✓	✓
Abrasion resistance	****	****
Traction	****	****
Oil and Chemical resistance	****	****
Heat resistance up to	300° Celsius	160° Celsius
Anti-static	✓ ESD	✓ ESD
TPU Abrasion resistant cuff nose / scuff cap	✓	Flame Knit C S1P C: Black Phoenix C S3 C: Court High C S3: Commissioner (Slip On) C S3:
Anti-perforation mid plate	Textile	Textile
Protective toe	✓	✓
Lining and/or insole	Anti-bacterial polyester mesh lining and 3D EVA insole	Anti-bacterial polyester mesh lining and 3D EVA insole

^{*} Additional winter variant with 400 GSM 3Mtm Thinsulate available

^{**} Additional brown variant available on request

¹ Available on request

Dapro Footwear Stock

Product Name	Color
High Range	
Driller C S3 C	BL/BL BR/BR
Rigger C S3 C	BL/BL **
Canyon Laceless C S3 C1	BL/BL BR/BR
Chelsea Boot C S31	BL/BL BR/BR
Elements 1 C S3 C1	BL/BL BR/BR
Elements 2 Pro C S3 C	BL/BL **
Elements 3 C S3 C	BL/BL **
Mid Range Elements 2 S3 C	BL/BL
Value Range	
Baron S3 C	BL/BL **
Noble S3 C	BL/BL BR/BR ²
Noble Welding S3 C	BL/BL
Intrepid S3 C*	BL/BL **
Dauntless S3 C*	BL/BL **
<u> </u>	

Features	High Range	Mid Range	Value Range
EN ISO 20345	2022 SR	2011 SRC	2011 SRC
Metal free / Non-magnetic	Metal free	-	-
Water resistant	✓	~	✓
Upper	Full grain leather	Grain leather	Buffalo split leather
Sole	PU/Nitrile	PU/PU	PU/PU
Anti-slip and Anti-shock	~	~	~
Abrasion resistance	****	***	***
Traction	****	***	***
Oil and Chemical resistance	****	****	***
Heat resistance up to	300° Celsius	160° Celsius	160° Celsius
- Anti-static	✓ ESD	~	✓
PU bump cap / scuff cap	-	~	✓
TPU Abrasion resistant cuff nose / scuff cap	Driller C S3 C: Rigger C S3 C: Canyon Laceless C S3 C: Chelsea C S3: Elements 1/2/3 C S3 C:	-	-
Anti-perforation mid plate	Textile	Steel	Steel
Protective toe	✓	✓	✓
Lining and/or insole	Driller C S3 C: Anti-bacterial 3D EVA insole Rigger, Canyon Laceless, Elements 1/2/3 C S3 C, Chelsea C S3:	Anti-bacterial polyester mesh lining and 3D EVA insole	EVA Insole

Anti-bacterial polyester mesh

lining and 3D EVA insole

^{*} Additional winter variant with 400 GSM 3Mtm Thinsulate available

^{**} Additional brown variant available on request

¹ Available on request

² In stock while supplies last





Size guide Coverall/Jacket

Size guide Pants

	SIZE		LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	М	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

	SIZE		WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	М	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90
				Mascuraments ch	own in contimeter

Total Lenght (A)
No shoes- top of head to sole of foot

Chest (B)
Horizontally, under shoulder blades

Waist (C)
Horizontally, fullest part of waist

Hip (D)
Horizontally, fullest part of hip

Inseam (E)


No shoes- from crotch
to sole of foot

Measurements shown in centimeters

Iconography

WWW <u></u> YKK® Two-Extensive 5 Thread Breathable Waterproof YKK® One-Way Bartacks Safety Stitch Fabric Zipper Way Zipper 2x 1x 9:0 Single Double Lower Arm Adjustable Action Shaped Knee Striping Hems/Cuffs Gas Loop Gas Loop Armpit

Wearers side





PRODUCT CODE: WKIDSC-NB*

Fabric information



Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure


Vibrant Orange *OR

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock





Flaming Red

EU 92-164









PRODUCT CODE: WKIDSC-RB*

Fabric information



Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure

Vibrant Orange *OR

EU 92-164


Flaming Red

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock













PRODUCT CODE: WKIDSC-OR*

Fabric information



Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure


Vibrant Orange *OR

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock





Flaming Red

EU 92-164









PRODUCT CODE: WKIDSC-RE*

Fabric information



Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure

EU 92-164

- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock













5 Thread YKK® Two Way Adjustable Cuffs Bartacks Safety Stitch Zipper



PRODUCT CODE: WKIDSC-SB*

Fabric information



Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock





Vibrant Orange *OR

EU 92-164











PRODUCT CODE: WKIDSC-PI*

Fabric information




Features

- > Center front with YKK® two-way vislon zipper closure
- > Chest pockets with safety flap and metal snap button closure
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets
- > Back pocket at right hand side
- > Adjustable cuffs with plastic snap buttons



Available in colors: Sizes in stock













5 Thread YKK® Two Way Adjustable Bartacks Safety Stitch Zipper



PRODUCT CODE: WWOR1CKULW-NB*

Fabric information



100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Extensive 5 Thread Single

Bartacks Safety Stitch Gas Loop



PRODUCT CODE: WWOR1CKULW-RB*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Extensive 5 Thread Single

Bartacks Safety Stitch Gas Loop



PRODUCT CODE: WWOR1CKULW-OR*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Extensive 5 Thread Single

Bartacks Safety Stitch Gas Loop



PRODUCT CODE: WWOR1CKULW-RE*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- $\,>\,$ Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Extensive 5 Thread Single
Bartacks Safety Stitch Gas Loop



PRODUCT CODE: WWOR1CKULW-WG*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- $\,>\,$ Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



WW 望





Extensive 5 Thread Single Bartacks Safety Stitch Gas Loop



PRODUCT CODE: WWOR1CKULW-SB*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- $\,>\,$ Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



Extensive 5 Thread Single

Bartacks Safety Stitch Gas Loop



PRODUCT CODE: WWOR1CKULW-WH*

Fabric information




100% Cotton200 GSM

Features

- > Suitable for Tropical climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- $\,>\,$ Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock



₩W <u>₩</u>

Extensive 5 Thread Single Bartacks Safety Stitch Gas Loop



Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-NB*

Fabric information



100% Cotton 200 GSM

Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Chest pockets with safety flap and concealed zipper closure
- > Pen pocket at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Adjustable cuffs and hems with metal snap buttons
- > Prolux® 50mm reflective striping



Available in colors: Sizes in stock



Available on request: EU 42-72

EU 48-64















Striping



Dapro Worker 2 Coverall

PRODUCT CODE: WWOR2C-OR*

Fabric information



100% Cotton 200 GSM

Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Chest pockets with safety flap and concealed zipper closure
- > Pen pocket at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Adjustable cuffs and hems with metal snap buttons
- > Prolux® 50mm reflective striping



Available in colors: Sizes in stock



















Striping



YKK® Two-5 Thread Bartacks Safety Stitch Way Zipper Lower Arm



PRODUCT CODE: WTOU2CK-NB*

C11-A Certification and fabric information





11612:2015





14116:2015 Index 3





1149-5:2008













Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock




























Bartacks Safety Stitch Way Zipper

Single Gas Loop Lower Arm Striping





PRODUCT CODE: WTOU2CK-AB*

C11-A Certification and fabric information





11612:2015





14116:2015 Index 3







1149-5:2008











Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock


































Single Gas Loop

Lower Arm Hems/Cuffs Striping



PRODUCT CODE: WTOU2CK-OR*

C11-A Certification and fabric information



(EN 340:2003)







14116:2015 Index 3





1149-5:2008





61482-2:2009









Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock



































Bartacks Safety Stitch Way Zipper

Single Gas Loop

Lower Arm Striping

Hems/Cuffs





PRODUCT CODE: WTOU2CK-AR*

C11-A Certification and fabric information









14116:2015 Index 3





1149-5:2008

61482-2:2009







· 98% Cotton / 2% Anti-static · Flame-retardant and Anti-static



Features

- > Suitable for Tropical climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way metal zipper and metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal zipper closure
- > **Pen pocket** at left hand side sleeve
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock
































Bartacks Safety Stitch Way Zipper

Single Gas Loop Lower Arm Hems/Cuffs Striping



Dapro Industry Coverall

PRODUCT CODE: WINDKCUHW-NB*

C12 Certification and fabric information





11612:2015

A1 B1 C1 F1



14116:2015

Index 3



11611:2015

A1 Class 1




















Features

- > Suitable for Continental climate
- > Center front with concealed metal snap button closure
- > Gas detector loop on chest at right hand side
- > Chest pockets with safety flap and concealed metal snap button closure
- > Elastic waistband for improved fit
- > Side pockets
- > **Side vents** with safety flap and concealed metal snap button closure behind side pockets
- > Back pocket with safety flap and concealed metal snap button closure at right hand side
- > Slanted tool pocket at right hand side leg
- > Kneepad pockets



Available in colors: Sizes in stock









PRODUCT CODE: WROUCLW-NB*

C4 Certification and fabric information















+A1:2009



EN ISO 13688:2013 EN ISO 11612:2015 A1 B1 C1 E1 F1

EN ISO 14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009 Class 1

 98% Cotton / 2% Anti-static · Flame-retardant and Anti-static



Chemical proof



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue *NB



























EU 46-68

Available on request: EU 42-72

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit



PRODUCT CODE: WROUCLW-RB*

C4 Certification and fabric information



















61482-2:2009

Class 1

EN ISO 13688:2013

11612-2015

A1 B1 C1 E1 F1

EN ISO 14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

EN 13034:2005 +A1:2009



 Chemical proof Retardant • 240 GSM



Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock



































EU 46-68

EU 46-68

EU 48-68

Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit



PRODUCT CODE: WROUCLW-OR*

C4 Certification and fabric information



















EN ISO EN ISO 11612:2015 14116:2015 A1 B1 C1 E1 F1 Index 3

11611:2015 A1 Class 1

EN 13034:2005 1149-5:2008 +A1:2009

61482-2:2009 Class 1

Chemical proof


 98% Cotton / 2% Anti-static · Flame-retardant and Anti-static

Retardant • 240 GSM

Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock





































EU 46-68

EU 46-68

EU 48-68

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop

Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit



PRODUCT CODE: WROUCLW-RE*

C4 Certification and fabric information





A1 B1 C1 E1 F1







14116:2015

Index 3



11611:2015

A1 Class 1







EN 13034:2005 1149-5:2008 +A1:2009

61482-2:2009 Class 1







 98% Cotton / 2% Anti-static Chemical proof

· Flame-retardant and Anti-static

Retardant • 240 GSM

Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with concealed hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock































EU 46-68

EU 46-68

EU 48-68

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit

Dapro Roughneck Bib

PRODUCT CODE: WROUBLW-RE*

C4 Certification and fabric information











11611:2015

A1 Class 1





+A1:2009



61482-2:2009

1149-5:2008

EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3







Features

- > Suitable for Summer climate
- > Elastic braces with buckle closure
- > **Zipper fly** closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pockets with safety flap and double concealed metal snap button closure
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping


Available in colors: Sizes in stock





















Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-NB*

C4 Certification and fabric information















+A1:2009



EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

Guardian • 98% Cotton / 2% Anti-static



Lifetime • Flame-retardant and Anti-static




Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with single concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock



















Dapro Roughneck Jacket

PRODUCT CODE: WROUJLW-RE*

C4 Certification and fabric information





11612:2015

A1 B1 C1 E1 F1



14116:2015

Index 3





11611:2015

A1 Class 1





1149-5:2008

61482-2:2009







Guardian • 98% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static Chemical proof

+A1:2009

Features

- > Suitable for Summer climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with single concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock





















Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-NB*

C4 Certification and fabric information





11612:2015

A1 B1 C1 E1 F1





14116:2015

Index 3









11611:2015 1149-5:2008 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009





Chemical proof

Guardian • 98% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

Retardant • 240 GSM



Features

- > Suitable for Summer climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

















Dapro Roughneck Pant

PRODUCT CODE: WROUPLW-RE*

C4 Certification and fabric information

















+A1:2009



EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009

Guardian • 98% Cotton / 2% Anti-static

Lifetime • Flame-retardant and Anti-static

Chemical proof

Retardant • 240 GSM

Features

- > Suitable for Summer climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock















PRODUCT CODE: WDIACUHW-NB*

C4 Certification and fabric information













1149-5:2008





EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 F1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm





Chemical proof





Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue *NB



































EU 44-68

EU 44-70

EU 44-72

5 Thread

Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs Action



PRODUCT CODE: WDIACUHW-RB*

C4 Certification and fabric information

















61482-2:2009

Class 1 10.4 cal/cm

EN 13034:2005 +A1:2009

EN ISO 13688:2013 (FN 340:2003)

11612:2015 A1 B1 C1 F1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

- Chemical proof
- Retardant 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue *NB


EU 44-68





































Available on request: EU 42-72

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs Action



PRODUCT CODE: WDIACUHW-OR*

C4 Certification and fabric information





11612:2015

A1 B1 C1 F1 F1





14116:2015

Index 3



11611:2015

A1 Class 1



1149-5:2008






EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm









 Chemical proof Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

































EU 44-68

EU 44-70

EU 44-72

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs Action



PRODUCT CODE: WDIACUHW-RE*

C4 Certification and fabric information



(FN 340:2003)















11612:2015 14116:2015 A1 B1 C1 F1 F1 Index 3

11611:2015 A1 Class 1

1149-5:2008 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

Chemical proof


Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® two-way zipper and metal snap button closure
- > **Gas detector loops** at chest
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect
- > Slanted side pockets with hook-and-loop closure

- > **Side vents** with plastic flame-retardant snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors:

Sizes in stock


Navy Blue *NB



































EU 44-68

EU 44-70

EU 44-72

5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop

Lower Arm

Adjustable Hems/Cuffs Striping

Action

Dapro Diamond Bib

PRODUCT CODE: WDIABUHW-RE*

C4 Certification and fabric information















61482-2:2009 Class 1

10.4 cal/cm

EN ISO 13688:2013

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

1149-5:2008 11611:2015 A1 Class 1

 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static

Chemical proof

Retardant • 350 GSM

+A1:2009

Features

- > Suitable for Continental climate
- > Elastic braces with buckle closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Zipper fly closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pockets with safety flap and double concealed metal snap button closure
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping

Available in colors: Sizes in stock




Available on request: EU 42-72

















5 Thread YKK® One-Way Bartacks Safety Stitch

46



Dapro Diamond Jacket

PRODUCT CODE: WDIAJUHW-RE*

C4 Certification and fabric information





11612:2015

A1 B1 C1 E1 F1



14116:2015

Index 3



11611:2015

A1 Class 1







EN 13034:2005 1149-5:2008 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm



Retardant • 350 GSM







Chemical proof





Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with concealed YKK® metal zipper and metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with safety flap and concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap buttons
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock















Adjustable Cuffs



Dapro Diamond Pant

PRODUCT CODE: WDIAPUHW-RE*

C4 Certification and fabric information





11612:2015

A1 B1 C1 E1 F1



14116:2015

Index 3





11611:2015

A1 Class 1

1149-5:2008





61482-2:2009 Class 1 10.4 cal/cm



Retardant • 350 GSM

 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static Chemical proof



+A1:2009

Features

- > Suitable for Continental climate
- > **Zipper fly** with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock









Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-NB*

C4 Certification and fabric information



(EN 340:2003)









1149-5:2008





11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

Lifetime Retardant • 350 GSM

 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

Chemical proof



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with welding flap and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with hook-andloop closure

- > Side vents with safety flap and flameretardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap and double fabric reinforcement at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue *NB







Oil Black

















EU 46-70

EU 46-70

Bartacks Safety Stitch

Double Gas Loop Lower Arm Adjustable Striping Hems/Cuffs

Action Armpit

Available on request: EU 42-72



Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-RB*

C4 Certification and fabric information



(EN 340:2003)



11612:2015

A1 B1 C1 E1 F1





14116:2015

Index 3



11611:2015

A1 Class 1



1149-5:2008





EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

Lifetime



Retardant • 350 GSM

 80% Cotton / 19% Polyester / 1% Anti-static Flame-retardant and Anti-static

Chemical proof



Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with hook-andloop closure

- > Side vents with safety flap and flameretardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap and double fabric reinforcement at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

























EU 46-70

Bartacks Safety Stitch

Double Gas Loop Lower Arm Striping

Adjustable Hems/Cuffs

Action Armpit



Dapro Spark Coverall

PRODUCT CODE: WSPACUHW-BL*

C4 Certification and fabric information





11612:2015

A1 B1 C1 E1 F1





14116:2015

Index 3



11611:2015

A1 Class 1





+A1:2009



1149-5:2008


61482-2:2009 Class 1 10.4 cal/cm

EN ISO 13688:2013 (EN 340:2003)









Chemical proof





Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with welding flap and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > **Action armpits** for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with hook-andloop closure

- > Side vents with safety flap and flameretardant plastic snap button closure behind side pockets
- > Back pockets with safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > Diamond tool pocket with safety flap and double fabric reinforcement at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs and hems with plastic flame-retardant snap button closure
- > Reflective piping details on lower sleeves, back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock



EU 46-70









EU 46-70



















Bartacks Safety Stitch

Double Gas Loop Lower Arm Adjustable Striping Hems/Cuffs

Action Armpit

Shaped Knee



Dapro Spark Bib

PRODUCT CODE: WSPABUHW-NB*

C4 Certification and fabric information





A1 B1 C1 E1 F1







11611:2015

A1 Class 1





+A1:2009





61482-2:2009 Class 1 10,4 cal/cm



Flame

Retardant • 350 GSM

· 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static

14116:2015

Index 3

Chemical proof



Features

- > Suitable for Continental climate
- > Elastic braces with buckle closure
- > Zipper fly closure
- > Chest pocket with safety flap and double concealed metal snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- closure behind side pockets
- > Back pockets with fabric reinforcement, safety flap and concealed metal snap button closure

- > Cargo pocket with safety flap and double concealed metal snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > **Side vents** with metal snap button > Prolux® 50mm flame-retardant reflective striping











Available in colors: Sizes in stock









YKK® One-5 Thread Bartacks Safety Stitch Way Zipper



Dapro Spark Jacket

PRODUCT CODE: WSPAJUHW-NB*

C4 Certification and fabric information















+A1:2009



EN ISO 13688:2013 11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009 Class 1 10.4 cal/cm

Guardian • 80% Cotton / 19% Polyester / 1% Anti-static Lifetime • Flame-retardant and Anti-static

Chemical proof

Retardant • 350 GSM




Features

- > Suitable for Continental climate
- > Standing collar for extra protection
- > Center front with **welding flap** and concealed metal snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed metal snap button closure
- > Ergonomically shaped arms
- > Pen pocket with safety flap and concealed metal snap button closure at left hand side sleeve
- > Welted lower pockets with safety flap and concealed metal snap button closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > Reflective piping details on front yoke, back yoke and lower sleeves
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock











Bartacks Safety Stitch Gas Loop

Adjustable Lower Arm Cuffs Striping



Dapro Spark Pant

PRODUCT CODE: WSPAPUHW-NB*

C4 Certification and fabric information











1149-5:2008





61482-2:2009

EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

Class 1 10,4 cal/cm

Flame









Retardant • 350 GSM



Features

- > Suitable for Continental climate
- > Zipper fly with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and plastic flame-retardant snap button closure
- > Back pockets with double fabric reinforcement, safety flap and concealed metal snap button closure
- > Cargo pocket with safety flap and double concealed metal snap button closure
- > Diamond tool pocket with safety flap at right hand side leg
- > Kneepad pockets with triple hook-and-loop adjustment
- > Extentable hems (5cm)
- > Reflective piping details on back pockets and cargo pocket
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock







5 Thread YKK® One-Bartacks Safety Stitch Way Zipper



Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-NB*

C4 Certification and fabric information

















EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 F1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 1149-5:2008 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm



 80% Cotton / 19% Polyester / 1% Anti-static · Flame-retardant and Anti-static

Chemical proof






Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Name patches with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, vislon **zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees
- > Adjustable elastic waistband for

perfect fit

- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with plastic flameretardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, vislon zipper and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > Shaped kneepad pockets made of abrasion resistant material
- > Adjustable cuffs with plastic flameretardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping









EU 48-64

































5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Striping

Adjustable Cuffs

Action Shaped Knee Armpit



Dapro Rope Access Coverall

PRODUCT CODE: WROACUHW-OR*

C4 Certification and fabric information















1149-5:2008



EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 F1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2009 Class 1 10.4 cal/cm

Lifetime

 80% Cotton / 19% Polyester / 1% Anti-static · Flame-retardant and Anti-static

 Chemical proof Retardant • 350 GSM




Features

- > Suitable for Continental climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Name patches with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, vislon **zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees
- > Adjustable elastic waistband for

perfect fit

- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with plastic flameretardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, vislon zipper and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > Shaped kneepad pockets made of abrasion resistant material
- > Adjustable cuffs with plastic flameretardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping









Sizes in stock

EU 48-64



















5 Thread

Bartacks Safety Stitch Way Zipper





Double

Gas Loop



Lower Arm

Striping



Adjustable

Cuffs











Dapro Rope Access Coverall

PRODUCT CODE: WROACIFR-OR*

C4-A Certification and fabric information



13688:2013

(EN 340:2003)



















EN ISO 14116:2015

EN ISO 11611 A1 Class 1

EN 13034:2005 +A1:2009 Type 6

IEC 61482-2:2009 Class 1

Flame



- 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static
- Flame-retardant and Anti-static Retardant • Chemical proof




Features

- > Suitable for Temperate climate
- > Metal free
- > Standing collar for extra protection
- > Center front with concealed YKK® twoway vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Name patches with hook-and-loop attachment above chest pockets
- > Chest pockets with safety flap, vislon **zipper** and hook-and-loop closure
- > Key attachment loops inside both chest pockets
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees
- > Adjustable elastic waistband for

perfect fit

- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with plastic flameretardant snap button closure behind side pockets
- > 3D upper leg pockets with double compartment, safety flap, vislon zipper and hook-and-loop closure
- > Back pockets with safety flap and hook-and-loop closure
- > Shaped kneepad pockets made of abrasion resistant material
- > Adjustable cuffs with plastic flameretardant snap button closure
- > Extendable hems (5cm)
- > Reflective piping details on sleeves
- > Prolux® 50mm flame-retardant reflective striping







Available in colors: Sizes in stock



Available on request: EU 42-72



















Bartacks Safety Stitch Way Zipper

5 Thread

Double Gas Loop Lower Arm Striping

Adjustable Cuffs

Action Armpit





Dapro Globe-Tech Coverall

PRODUCT CODE: WGTECHC-BL/HVYE*

C4-A Certification and fabric information

















61487-2:2009

EN ISO 13688:2013

A1 B1 C1 F1

EN ISO 14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

EN 13034:2005 +A1:2009



- Flame-retardant and Anti-static
- Retardant Chemical proof



Features

- > Suitable for Temperate climate
- > Extra high collar protects against heavy wind and rain
- > High-visibility Yellow at front and back yoke
- > Center front with welding flap and concealed plastic flame-retardant snap button closure
- > **Gas detector loops** on chest at both
- > Ergonomically shaped arms
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- > Chest pockets with safety flap and concealed nylon zipper closure
- > Adjustable elastic waistband for perfect fit
- > Slanted side pockets with safety flap

Available in colors: Sizes in stock

Oil Black

EU 50-62

Hi-Vis Yellow *BL/HVYE

and concealed hook-and-loop closure

- > **Side vents** behind side pockets
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flameretardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Shaped kneepad pockets
- > Adjustable cuffs with plastic flame-retardant snap buttons
- > High-visibility piping details on chest pockets, back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping















5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Adjustable Shaped Knee Cuffs



Dapro Globe-Tech Bib

PRODUCT CODE: WGTECHB-BL/HVYE*

C4-A Certification and fabric information





A1 B1 C1 F1





14116:2015

Index 3



11611:2015

A1 Class 1






+A1:2009



1149-5:2008

61482-2:2009





- Flame-retardant and Anti-static
- Retardant Chemical proof



Features

- > Suitable for Temperate climate
- > Elastic braces with buckle closure
- > **Zipper fly** closure
- > Chest pocket with safety flap and concealed plastic flame-retardant snap button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with safety flap and concealed hook-and-loop closure
- > Side vents with concealed plastic flame-retardant snap button closure behind side
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flame-retardant snap button closure at left hand side leg
- > Diamond tool pocket with safety flap at right hand side leg
- > Shaped kneepad pockets
- > High-visibility piping details on chest pocket, back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock



Hi-Vis Yellow *BL/HVYE




Available on request: EU 42-72















5 Thread Shaped Knee Bartacks Safety Stitch

59



Dapro Globe-Tech Jacket

PRODUCT CODE: WGTECHJ-BL/HVYE*

C4-A Certification and fabric information















+A1:2009



EN ISO 13688:2013

11612:2015 A1 B1 C1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009



Retardant • Chemical proof



Features

- > Suitable for Temperate climate
- > Extra high collar to protect against heavy wind and rain
- > High-visibility Yellow at front and back yoke
- > Center front with concealed YKK® metal zipper with rubber puller and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Ergonomically shaped arms
- > Welted lower pockets with safety flap and hook-and-loop closure
- > Adjustable cuffs with plastic flame-retardant snap button closure
- > High-visibility piping details on chest pockets and lower pockets
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock







EU 48-64













Double Gas Loop

Lower Arm Striping

Adjustable Cuffs



Dapro Globe-Tech Pant

PRODUCT CODE: WGTECHP-BL/HVYE*

C4-A Certification and fabric information

















+A1:2009



EN 13034:2005

EN ISO 13688:2013

11612:2015 A1 B1 C1 F1

EN ISO 14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008

61482-2:2009





53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static

· Flame-retardant and Anti-static Retardant • Chemical proof




Features

- > Suitable for Temperate climate
- > Zipper fly with concealed jeans button closure
- > Elastic waistband for improved fit
- > Slanted side pockets with concealed hook-and-loop closure
- > Back pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flameretardant snap button closure at left hand side leg
- > Diamond tool pocket with safety flap at right hand side leg
- > Shaped kneepad pockets
- > High-visibility piping details on back pockets, cargo pocket, tool pocket and lower legs
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock

Oil Black

Hi-Vis Yellow *BL/HVYE

EU 50-64





Dapro Globe-Tech Polo

PRODUCT CODE: WGTECHLP-BL/HVYE*

C22 Certification and fabric information















EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1B1C1

IEC 61482-2:2018 EN 13758-ATPV=6.3cal/cm²

APC1 2:2003+A1:2006 EN1149-3:2004

Inherent • 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber Flame-retardant and Anti-static

Retardant • 220 GSM

Features

- > Suitable for Temperate climate
- > Collar closed with plastic flame-retardant sew-on buttons
- > High-visibility Yellow at front and back yoke
- > Chest pocket at left hand side
- > Elastic cuffs

Available in colors: Sizes in stock



Hi-Vis Yellow *BL/HVYE

Available on request: US 2XS-6XL













Dapro Globe-Tech Shirt

PRODUCT CODE: WGTECHS-BL/HVYE*

C4-A Certification and fabric information















+A1:2009



61482-2:2009

EN ISO 13688:2013

11612:2015 A1 B1 C1 F1

14116:2015 Index 3

11611:2015 A1 Class 1

1149-5:2008



 53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static

· Flame-retardant and Anti-static Retardant • Chemical proof



Features

- > Suitable for Temperate climate
- > Fusing, interlining material in collar
- > Center front with concealed plastic flame-retardant snap button closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Adjustable cuffs with concealed plastic flame-retardant snap button closure
- > High-visibility piping details on chest pockets and back yoke



Available in colors: Sizes in stock

Oil Black



EU 48-64











Dapro Globe-Tech Sweater

PRODUCT CODE: WGTECHSW-BL/HVYE*

C23 Certification and fabric information















EN ISO 13688:2013 (EN 340:2003)

EN ISO 11612:2015 A1B1C1F1

018 EN 13758- EN 1149-5:2018 2:2003+A1:2006 EN1149-3:2004 IEC 61482-2:2018 EN 13758-APC1 ATPV=20.4cal/

Inherent • 60% Modacrylic / 38% Cotton / 2% Dissipative Fiber Flame-retardant and Anti-static

Retardant • 220 GSM

Features

- > Suitable for Temperate climate
- > High-visibility Yellow at front and back yoke
- > Chest pocket at left hand side
- > Elastic cuffs and hem



Available in colors: Sizes in stock



Hi-Vis Yellow *BL/HVYE

Available on request: US 2XS-6XL





Dapro Volt Hi-Vis Class 2 Coverall

PRODUCT CODE: WVOL2C-NB/HVYE*

C4-A-3 Certification and fabric information

















EN ISO 13688:2013

11612:2015 A1 A2 B1 C1 E1 F1

14116:2015 Index 3

11611:2015 A1+A2 Class 1

1149-5:2018

FN 13034:2005 +A1:2009 Type 6

20471:2013 +A1:2016

61482-2:2018 APC1



Flame Retardant

53% Modacrylic / 38% Cotton / 5% P-Aramid / 3% Nylon / 1% Anti-static Flame-retardant and Anti-static



Features

- > Suitable for Temperate climate
- > Standing collar for extra protection
- > Center front with welding flap and concealed plastic flame-retardant snap > Back pockets with safety flap and button closure
- > Gas detector loops at chest
- > Ergonomically shaped arms
- > Action armpits for comfortable work above reach
- > Back pleats for improved ergonomics and ultimate comfort with 45° degrees tack
- flame-retardant snap button closure at left hand side sleeve
- > Adjustable elastic waistband for perfect fit
- > Chest pockets with safety flap and concealed plastic flame-retardant snap button closure
- > Side pockets with hook-and-loop

Available in colors: Sizes in stock

EU 48-64


Navy Blue



closure

- > **Side vents** with concealed plastic flame-retardant snap button closure
- concealed plastic flame-retardant snap button closure
- > Cargo pocket with safety flap and double concealed plastic flameretardant snap button closure at left hand side leg
- > **Diamond tool pocket** with safety flap at right hand side leg
- > Pen pocket with safety flap and plastic > Shaped kneepad pockets made of abrasion resistant material
 - > Adjustable cuffs and hems with plastic flame-retardant snap buttons
 - > Reflective piping details on back pockets and cargo pocket
 - > Prolux® 50mm flame-retardant reflective striping























5 Thread Bartacks Safety Stitch Way Zipper

Double Gas Loop Lower Arm Adjustable Hems/Cuffs Striping

Action Armpit



dapro

PRODUCT CODE: WSKNE-EB*

Features

- > Light weight and comfortable
- > Resillient and flexible
- > Ergonomic design



Available in colors:



Sizes in Stock: One Size

adapts brilliantly

Prolux reflective striping is specifically developed for industrial workwear and outerwear.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12''/entrance angle 5°

Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%



NFPA 1971

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX® Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com

Certificate Standards

EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.



SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This breathable high resilient and loft material provides durable warmth retention with light weight properties for extra freedom of movement and comfort.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties	Weight	Warmth
SUBZER®	100 GSM	
SUBZER®	150 GSM	
SUBZER®	250 GSM	
SUBZER®	300 GSM	







Size guide Coverall/Jacket

Size guide Pants

	SIZE		LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	М	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

	SIZE		WAIST (C)	HIP (D)	INSEAM (E)	
42	32	3XS	74-85	87-98	70-76	
44	34	2XS	77-88	89-100	71-77	
46	36	XS	80-91	91-102	72-78	
48	38	S	83-94	93-104	74-80	
50	40	М	86-97	95-106	75-81	
52	42		88-100	97-109	76-82	
54	44	L	91-103	100-112	79-85	
56	46		94-106	103-115	80-86	
58	48	XL	96-109	105-118	81-87	
60	50		99-112	108-121	82-88	
62	52	2XL	102-115	111-124	83-89	
64	54		105-118	114-127	84-90	
66	56	3XL	111-124	117-130	84-90	
68	58		117-130	120-133	84-90	
70	60	4XL	123-136	123-136	84-90	
Measurements shown in centimet						

Total Lenght (A)
No shoes- top of head to sole of foot

Chest (B)
Horizontally, under shoulder blades

Waist (C)
Horizontally, fullest part of waist


Hip (D)
Horizontally, fullest part of hip

Measurements shown in centimeters

Iconography

WWW <u></u> YKK® Two-Extensive 5 Thread Breathable Waterproof YKK® One-Way Bartacks Safety Stitch Fabric Zipper Way Zipper 1x 2x 9:0 Single Double Lower Arm Adjustable Action Shaped Knee Hems/Cuffs Gas Loop Gas Loop Striping Armpit

Wearers side





Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB*

C15-1 Certification and fabric information



(EN 340:2003)



11612:2015

A1 B1 C1 D3 E3 F1







14116:2015

Index 3



A1 Class 1









FN 13034:2005 +A1:2009 Type PB[6] APC1

61482-2:2020

EN 17353:2020 Type B3

Retardant • 260 GSM

Flame


· 98% Polyester / 2% Anti-static Flame-retardant and Anti-static Lifetime • H2O water & windproof

Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping





Available in colors:

Navy Blue *NB















Breathable Bartacks Safety Stitch

Waterproof

Way Zipper

Double Gas Loop

Lower Arm Striping



Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB/HVYE*

C15-2 Certification and fabric information











A1 Class 1



Type PB[6]





61482-2:2020

APC1



20471:2013/

A1:2016

(EN 340:2003) 11612:2015 14116:2015 A1 B1 C1 D3 E3 F1 Index 3

Flame

· 98% Polyester / 2% Anti-static Flame-retardant and Anti-static

Lifetime • H2O water & windproof


Water, oil, grease and dirt repellent finish

Retardant . 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping





Available in colors:

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue

Hi-Vis Orange *NB/HVOR















Bartacks Safety Stitch

Breathable Waterproof Way Zipper

Double Gas Loop Lower Arm Striping



Dapro Phase 1 Jacket

PRODUCT CODE: OPHA1J-NB/HVOR*

C15-2 Certification and fabric information

















APC1



EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 D3 E3 F1

14116:2015 Index 3

A1 Class 1

FN 13034:2005

+A1:2009

Type PB[6]

61482-2:2020

EN ISO 20471:2013/ A1:2016

Flame

· 98% Polyester / 2% Anti-static

Retardant . 260 GSM


 Flame-retardant and Anti-static Lifetime • H2O water & windproof

Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket behind stormflap with concealed nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective press-on striping





Available in colors:

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue

Hi-Vis Orange *NB/HVOR















Bartacks Safety Stitch

Breathable

Waterproof

Double Way Zipper Gas Loop Lower Arm Striping



PRODUCT CODE: OACCJ-NB*

C9-1 Jacket Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)

14116:2015 Outer: Index 1

1149-5:2018



+A1:2009 type PB[6]

H20 Lifetime

- · 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static
- · H20 water & windproof
- · Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > Goggle pocket behind storm flap with concealed nylon zipper closure
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping













Available on request: US 2XS-5XL













Breathable Waterproof

Way Zipper

Gas Loop



PRODUCT CODE: OACCJ-BL*

C9-1 Jacket Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)

EN ISO 14116:2015 Outer: Index 1

1149-5:2018





+A1:2009 type PB[6]


H20 Lifetime

- · 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static
- · H20 water & windproof
- · Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping





Available in colors: Sizes in stock

Navy Blue

US XS-4XL















Bartacks Safety Stitch

Breathable Waterproof Way Zipper

Gas Loop



PRODUCT CODE: OACCI-NB/HVYE*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)

14116:2015 Outer: Index 1 1149-5:2018

+A1:2009

type PB[6]





20471:2013 +A1:2016

H20 Lifetime

· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

· H20 water & windproof

· Water, oil, grease and dirt repellent finish

260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > Goggle pocket behind storm flap with concealed nylon zipper closure
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Hi-Vis Yellow *NB/HVYE Navy Blue

Navy Blue

Hi-Vis Orange *NB/HVOR

US S-3XL















US S-4XL

5 Thread Bartacks Safety Stitch

Breathable Waterproof

Way Zipper

Lower Arm Striping



PRODUCT CODE: OACCI-NB/HVOR*

C9-2 Jacket Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)

EN ISO

1149-5:2018

EN 13034:2005





14116:2015 Outer: Index 1

+A1:2009 type PB[6]

20471:2013 +A1:2016

H20 Lifetime


· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

- · H20 water & windproof
- · Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at right hand side
- > **Goggle pocket** behind storm flap with concealed nylon zipper closure
- > **Inside pocket** with safety flap and concealed nylon zipper closure at left hand side
- > Lower pockets with safety flap and concealed hook-and-loop closure
- > Adjustable bottom hem
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping





Available in colors:

Sizes in stock

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-3XL

Hi-Vis Orange *NB/HVOR

















US S-4XL

Available on request: US 2XS-5XL

Bartacks Safety Stitch

5 Thread

Waterproof Breathable

Way Zipper

Lower Arm Striping



Dapro Access Bomber Jacket

PRODUCT CODE: OACCBJ-NB/HVOR*

C9-2 Jacket Certification and fabric information







+A1:2009

type PB[6]





20471:2013

+A1:2016

14116:2015 Outer: Index 1 Inner: Index 3

FN ISO

1149-5:2018

Retardant • Water, oil, grease and dirt repellent finish




98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

- H20 water & windproof

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loop on chest at left hand side
- > Chest pocket with safety flap and hook-and-loop closure at left hand side
- > Goggle pocket with concealed nylon zipper closure behind stormflap
- > Inside pocket with safety flap and concealed nylon zipper closure at left hand side
- > Elastic waistband for improved fit
- > Slanted lower pockets with safety flap and concealed **vision zipper** closure
- > Adjustable cuffs with hook-and-loop closure
- > Compatible with zip-in hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping





Available in colors:

Sizes in stock

US S-4XL







Bartacks Safety Stitch













Breathable

Waterproof Way Zipper

Single

Lower Arm Striping



Dapro Infinity Jacket

PRODUCT CODE: OINFI-NB*

C9-1 Jacket Certification and fabric information











14116:2015 Outer: Index 1

1149-5:2018 +A1:2009 type PB[6]

· 98% Polyester / 2% Anti-static



Flame

 Flame-retardant and Anti-static Lifetime • H2O water & windproof

Water, oil, grease and dirt repellent finish

Retardant • 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > ID-flap behind left hand side chest pocket flap
- > Goggle pocket behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

Available in colors: Sizes in stock



Available on request: US 2XS-5XL

















Bartacks Safety Stitch

5 Thread

Breathable

Waterproof

Way Zipper

Double Gas Loop



Dapro Infinity Jacket

PRODUCT CODE: OINFI-NB/HVYE*

C9-2 Jacket Certification and fabric information













14116:2015 Outer: Index 1

1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

20471:2013 +A1:2016

· 98% Polyester / 2% Anti-static Flame

 Flame-retardant and Anti-static Lifetime • H2O water & windproof

 Water, oil, grease and dirt repellent finish Retardant • 260 GSM

Features


- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > ID-flap behind left hand side chest pocket flap
- > Goggle pocket behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock

US XS-4XL

Navy Blue






US XS-4XL

Hi-Vis Orange *NB/HVOR



















Bartacks Safety Stitch

Breathable

Waterproof

Double Way Zipper Gas Loop



Dapro Infinity Jacket

PRODUCT CODE: OINFI-NB/HVOR*

C9-2 Jacket Certification and fabric information















(EN 340:2003)

14116:2015 Outer: Index 1

1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

20471:2013 +A1:2016

Flame

· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static Lifetime • H2O water & windproof

Water, oil, grease and dirt repellent finish

Retardant • 260 GSM

Features

- > Fully taped seams
- > Extra high collar to protect against heavy wind and rain
- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Chest pockets with safety flap and hook-and-loop closure
- > ID-flap behind left hand side chest pocket flap
- > Goggle pocket behind storm flap with nylon zipper closure
- > **Inside pocket** with nylon zipper closure at left hand side
- > Lower pockets with safety flap and hook-and-loop closure
- > Lower side entry pockets with concealed nylon zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > Prolux® 50mm flame-retardant reflective striping

Available in colors:

Sizes in stock

US XS-4XL






































Breathable Waterproof

Double Way Zipper Gas Loop

Adjustable Cuffs

platinum range



Dapro Globe-Tech Jacket

PRODUCT CODE: OGTECHJ-BL/HVYE*

C15-1 Certification and fabric information

















EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1 D3 E3 F1

14116:2015 Index 3

A1 Class 1

EN 13034:2005 +A1:2009

61482-2:2020 Type PB[6]

EN 17353:2020 Type B3





Retardant • Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > High-visibility Yellow at front and back yoke
- > Center front with concealed YKK® vislon zipper with rubber puller and hook-and-loop closure
- > Gas detector loops at chest
- > Spacious chest pocket with safety flap and hook-and-loop closure at right hand side
- > Goggle pocket behind storm flap with nylon zipper
- > Ergonomically shaped arms
- > Welted lower pockets with safety flap and hook-and-loop closure
- > Adjustable cuffs with hook-and-loop closure
- > Compatible with hood, fleece jacket & bodywarmer
- > Compartment for storing hood in collar
- > High-visibility piping details on center front and lower pockets
- > Prolux® 50mm flame-retardant reflective press-on striping

Available in colors:

Sizes in stock



























Breathable Waterproof

Way Zipper

Double Gas Loop

Adjustable Cuffs





Dapro Spectre Softshell Jacket

PRODUCT CODE: OSPEJ-NB/HVYE*

C19-2 Certification and fabric information





11612:2015



A1 A2 Class 2









+A1:2009

Type PB[6]



EN ISO 20471:2013/ A1:2016



Guardian H2O Softshell Lifetime

· 48% Modacrylic / 33% Cotton / 18%


Polyester / 2% Anti-static

- · Flame-retardant and Anti-static
- · H20 water repellent & windproof
- · Chemical proof
- 400 GSM

Features

- > Center front with vislon zipper and hook-and-loop closure
- > Gas detector loops at chest
- > Welted vertical chest pockets with concealed nylon zipper closure
- > **Inside pocket** with snap button closure at both sides
- > Welted lower pockets with concealed zipper closure
- > Adjustable cuffs with hook-and-loop closure
- > Adjustable hem with elastic cord
- > Compatible with Dapro outerwear jackets
- > Prolux® 50mm flame-retardant reflective striping





Available in colors: Sizes in stock

Navy Blue US S-3XL

Hi-Vis Yellow *NB/HVYE

Bartacks Safety Stitch















Breathable

Water repellent

YKK® One-Way

Double Gas Loop Lower Arm Striping

Dapro PU Hydrolite Rainsuit

PRODUCT CODE: OPUHR-NB*

C20 Certification and fabric information



(EN 340:2003)



Index 1









• 50% PU / 50% Modacrylic · Flame-retardant and Anti-static

Features

IACKET

- > Fully taped seams
- > Adjustable hood with drawcord concealed in the collar
- > Extra high collar to protect against heavy wind and rain
- > Center front with plastic snap button closure
- > Lower pockets with safety flap
- > Ventilation in back
- > Windcatcher in sleeves
- > Reflective striping on sleeves

Also available separately:

Dapro PU Hydrolite Jacket

PRODUCT CODE: OPUHJ-NB*

Dapro PU Hydrolite Pant

PRODUCT CODE: OPUHP-NB*

PANTS

- > Fully taped seams
- > Elastic waist for improved ergonomics
- > Adjustable hems with plastic snap button closure
- > Reflective striping on legs







Available in colors: Sizes in stock









Breathable Waterproof Fabric

Available on request: US 2XS-5XL





Dapro Protector 2 Coverall Reflect

PRODUCT CODE: OPRO2CR-HVOR*

C9-3 Certification and fabric information







1149-5:2018







EN 13034:2005 +A1:2009 Type 6

20471:2013 +A1:2016



· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

- H20 water & windproof
- Retardant Water, oil, grease and dirt repellent finish

FN ISO

Inner: index 3

Features

- > Fully taped seams
- > Including zip-in hood with elastic cord, nylon zipper and hook-and-loop attachment
- > Center front with storm flap, YKK® two-way vislon zipper and hook-and-loop closure
- > **Gas detector loops** at chest
- > 3D chest and upper leg pockets with safety flap and hook-and-loop closure
- > Goggle pocket behind storm flap with nylon zipper closure
- > Elastic waistband for improved fit
- > Side pockets
- > Side vents with safety flap and hook-and-loop closure behind side pockets
- > **Shaped kneepad pockets** made of abrasion resistant material
- > Adjustable cuffs with strap and plastic flame-retardant snap buttons
- > Concealed vision zipper with hook-and-loop closure at ankle to pull coverall over boots
- > Prolux® 50mm & 25mm flame-retardant reflective striping



Available in colors: Sizes in stock













Single







Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVYE*

C9-2 Certification and fabric information











+A1:2009

type PB[6]





20471:2013 +A1:2016

Inner: index 3



H20 water & windproof

Retardant • Water, oil, grease and dirt repellent finish


Features

- > Fully taped seams
- > Elastic braces with buckle closure
- > Welted chest pocket with concealed hook-and-loop closure
- > Sides closed with concealed metal snap buttons
- > Elastic waistband for improved fit
- > Zipper fly closure
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-3XL



Hi-Vis Orange *NB/HVOR









Breathable Waterproof

Available on request: US 2XS-5XL

86



Dapro Protector Bib

PRODUCT CODE: OPROB-NB/HVOR*

C9-2 Certification and fabric information















EN ISO 14116:2015 1149-5:2018 Outer: index 1 Inner: index 3

EN 13034:2005 +A1:2009 type PB[6]

20471:2013 +A1:2016

· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static H20 water & windproof

- Retardant Water, oil, grease and dirt repellent finish


Features

- > Fully taped seams
- > Elastic braces with buckle closure
- > Welted chest pocket with concealed hook-and-loop closure
- > Sides closed with concealed metal snap buttons
- > Elastic waistband for improved fit
- > Zipper fly closure
- > Side pockets with safety flap and hook-and-loop closure
- > **Side vents** behind side pockets
- > Prolux® 50mm flame-retardant reflective striping









Available in colors: Sizes in stock

Navy Blue

US S-2XL

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-3XL

Hi-Vis Orange *NB/HVOR











YKK® One-5 Thread Bartacks Safety Stitch Way Zipper

Breathable Waterproof

Available on request: US 2XS-5XL



Dapro Protector Pant

PRODUCT CODE: OPROP-NB*

C9-1 Certification and fabric information











EN 13034:2005 +A1:2009 type PB[6]





EN ISO

Guardian • 98% Polyester / 2% Anti-static Flame-retardant and Anti-static Lifetime • H2O water & windproof

Retardant • Water, oil, grease and dirt repellent finish • 260 GSM


Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > Zipper fly with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping



















Way Zipper



Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVYE*

C9-2 Certification and fabric information















EN ISO 14116:2015 Outer: index 1 Inner: index 3

1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

20471:2013 +A1:2016





Guardian • 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static Lifetime • H2O water & windproof

- Retardant Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > Zipper fly with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping





Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue

US S-3XL

Hi-Vis Orange *NB/HVOR













Dapro Protector Pant

PRODUCT CODE: OPROP-NB/HVOR*

C9-2 Certification and fabric information















EN ISO

14116:2015 Outer: index 1 Inner: index 3

1149-5:2018

EN 13034:2005 +A1:2009 type PB[6]

20471:2013 +A1:2016



Guardian • 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static Lifetime • H2O water & windproof

Retardant • Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Elastic waistband for improved fit
- > 7 Beltloops
- > Zipper fly with metal snap button and hook-and-eye closure
- > Side pockets with safety flap and hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping



Available in colors: Sizes in stock

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-3XL

Hi-Vis Orange *NB/HVOR











Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB*

C9-1 Certification and fabric information











+A1:2009 type PB[6]

14116:2015 Outer: index 1 Inner: index 3

· 98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

H20 water & windproof

Retardant • Water, oil, grease and dirt repellent finish


Features


- > Fully taped seams
- > Center front with concealed **vision zipper** and hook-and-loop closure
- > Gas detector loops on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > ID-flap behind left hand side chest pocket flap
- > Inside pocket with nylon zipper at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket























Breathable Waterproof

Way Zipper

Gas Loop



Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVYE*

C9-2 Certification and fabric information















14116:2015 Outer: index 1 Inner: index 3

+A1:2009 type PB[6]

20471:2013 +A1:2016

98% Polyester / 2% Anti-static · Flame-retardant and Anti-static H20 water & windproof


Retardant • Water, oil, grease and dirt repellent finish


Features

- > Fully taped seams
- > Center front with concealed **vision zipper** and hook-and-loop closure
- > Gas detector loops on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > ID-flap behind left hand side chest pocket flap
- > Inside pocket with nylon zipper at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket









Available in colors: Sizes in stock

US XS-5XL

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue

US S-4XL

Hi-Vis Orange *NB/HVOR













Bartacks Safety Stitch

Breathable Waterproof

Way Zipper

Single Gas Loop



Dapro Protector Bodywarmer

PRODUCT CODE: OPROW-NB/HVOR*

C9-2 Certification and fabric information













14116:2015 Outer: index 1 Inner: index 3

1149-5:2018

+A1:2009 type PB[6]

20471:2013 +A1:2016

98% Polyester / 2% Anti-static · Flame-retardant and Anti-static

- H20 water & windproof
- Retardant Water, oil, grease and dirt repellent finish

Features

- > Fully taped seams
- > Center front with concealed **vision zipper** and hook-and-loop closure
- > Gas detector loops on chest at right hand side
- > 3D chest pocket with safety flap and hook-and-loop closure at left hand side
- > ID-flap behind left hand side chest pocket flap
- > Inside pocket with nylon zipper at left hand side
- > Welted lower pockets with safety flap and concealed hook-and-loop closure
- > Prolux® 50mm flame-retardant reflective striping
- > Certification only valid when worn with C9 outerwear jacket



Available in colors: Sizes in stock

US XS-5XL

Navy Blue

Hi-Vis Yellow *NB/HVYE

Navy Blue US S-4XL

Hi-Vis Orange *NB/HVOR



Waterproof





Bartacks Safety Stitch

Breathable

Way Zipper

Single Gas Loop



Dapro Basic Fleece

PRODUCT CODE: OBASF-BL*

Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)



Features

- > Center front with vision zipper closure
- > Inside pocket with concealed nylon zipper closure at left hand side
- > Welted slanted lower pockets with concealed nylon zipper closure
- > System loops at sleeves and neck for compatibility with outerwear jackets
- > Elastic cuffs for improved ergonomics and ultimate comfort













Dapro Defender Fleece



C11-A Certification and fabric information



(EN 340:2003)



A1 B1 C1



PRODUCT CODE: ODEFF-NB*









14116:2015 1149-5:2008 Index 3

Fleece






· 60% Modacrylic / 38% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

Features

- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > **Inside pocket** with concealed nylon zipper closure at left hand side
- > Welted slanted lower pockets with safety flap and concealed nylon zipper closure
- > System loops at sleeves and neck for compatibility with outerwear jackets
- > Elastic cuffs for improved ergonomics and ultimate comfort













Dapro Defender Fleece

PRODUCT CODE: ODEFF-RB*

C11-A Certification and fabric information















EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1

14116:2015 Index 3

1149-5:2008

Guardian


Fleece Flame

· 60% Modacrylic / 38% Cotton / 2% Anti-static Lifetime • Flame-retardant and Anti-static

Features

- > Center front with concealed YKK® vislon zipper and hook-and-loop closure
- > Inside pocket with concealed nylon zipper closure at left hand side
- > Welted slanted lower pockets with safety flap and concealed nylon zipper closure
- > Elastic cuffs for improved ergonomics and ultimate comfort
- > System loops at sleeves and neck for compatibility with outerwear jackets



















PRODUCT CODE: SOFFTBAG-BL*

Features

- > Robust and water-resistant offshore bag
- > Backpack function
- > Ergonomic adjustable shoulder straps
- > Hard flexible corner protection
- > Enforced water resistant zippers
- > A large protected namecard holder
- > Extra zipper pocket for covering shoulder straps
- > Handles on both ends
- > Padded shoulder strap for ultimate comfort
- > Size:

Length: 60cm Width: 30cm Height: 30cm



Available in colors:







Dapro C9 Hood

PRODUCT CODE: OC9HO-NB*

Fabric according to C9 Certification and fabric information

Norms with C9 outerwear jacket



EN ISO 13688:2013 EN ISO (EN 340:2003) 14116:2015 Outer: index 1 Inner: index 3



1149-5:2018





EN 13034:2005 +A1:2009 type PB[6]

Guardian H2O Lifetime


Flame


- 98% Polyester / 2% Anti-static
- Flame-retardant and Anti-static
- H2O water & windproof
 Water, oil, grease and dirt repellent finish
- 260 GSM

Features

- > Attaches easily to jacket with snap buttons and zipper
- > Foldable and stowable in outerwear jacket collar
- > To be worn with C9 outerwear jacket







Available in colors: Sizes in stock







Breathable Waterproof Fabric

Available on request: US 2XS-5XL 98

adapts brilliantly

Prolux reflective striping is specifically developed for industrial workwear and outerwear.

Visibility in dark and hazardous environments greatly reduces the risk of accidents. This can be on railways, roads, construction areas or industrial areas.

Aside from its **exceptional** reflective properties, our product offers great **durability** with **industrial** laundering

Retro-reflective

450 cd/lx m² @ Observation Angle 12''/entrance angle 5°

Composition:

Glass bead 30% / Resin 30% / Highly durable FR backing cloth 30% / Other materials 10%

FN 2047

EN 20471:2013

This standard specifies the international standard for the safety requirements and test methods of hi-vis workwear, and is applicable to high-risk situations. It specifies requirements for "high visibility clothing which is capable of visually signalling the user's presence" and assesses the suitability and durability of retro-reflective materials.

EN 469:2005

This standard specifies minimum levels of performance requirements for protective clothing to be worn during firefighting operations and associated activities such as e.g. rescue work, assistance during disasters.

EN ISO 14116:2008

This standard specifies the minimum requirements for protective clothing against heat and flame. The standard outlines the performance requirements for clothing materials and garments that are designed to protect against limited flame spread and radiant heat.

EN ISO 11612

This standard outlines the performance requirements for clothing materials and garments in terms of their ability to resist heat and flame, and to provide effective protection for the wearer. EN ISO 11612 specifies test methods for determining the clothing's ability to resist heat and flame, as well as requirements for the material's strength and dimensional stability.

NFPA 1971

TIME IN

NFPA 1971 protects fire fighting personnel by establishing minimum levels of protection from thermal, physical, environmental, and bloodborne pathogen hazards encountered during structural and proximity fire fighting operations.

OEKO-TEX® Standard 100

If a textile article carries the STANDARD 100 label, you can be certain that every component of this article, i.e. every thread, button and other accessories, has been tested for harmful substances and that the article therefore is harmless for human health.

www.prolux-reflective.com



SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This breathable high resilient and loft material provides durable warmth retention with light weight properties for extra freedom of movement and comfort.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties	Weight	Warmth
SUBZER®	100 GSM	
SUBZER®	150 GSM	
SUBZER®	250 GSM	
SUBZER®	300 GSM	







Size guide Coverall/Jacket

Size guide Pants

	SIZE		LENGHT (A)	CHEST (B)	WAIST (C)
42	32	3XS	158-167	76-96	70-90
44	34	2XS	158-170	78-98	71-91
46	36	XS	158-172	80-100	73-93
48	38	S	161-175	82-102	74-94
50	40	М	164-178	84-104	76-96
52	42		168-182	86-106	77-97
54	44	L	172-186	87-107	79-99
56	46		174-188	89-109	80-100
58	48	XL	177-191	91-111	82-102
60	50		179-193	93-113	83-103
62	52	2XL	182-196	94-114	85-105
64	54		183-202	96-116	88-108
66	56	3XL	184-202	97-117	91-111
68	58		185-202	99-119	94-114
70	60	4XL	187-202	100-120	96-116

	SIZE		WAIST (C)	HIP (D)	INSEAM (E)
42	32	3XS	74-85	87-98	70-76
44	34	2XS	77-88	89-100	71-77
46	36	XS	80-91	91-102	72-78
48	38	S	83-94	93-104	74-80
50	40	М	86-97	95-106	75-81
52	42		88-100	97-109	76-82
54	44	L	91-103	100-112	79-85
56	46		94-106	103-115	80-86
58	48	XL	96-109	105-118	81-87
60	50		99-112	108-121	82-88
62	52	2XL	102-115	111-124	83-89
64	54		105-118	114-127	84-90
66	56	3XL	111-124	117-130	84-90
68	58		117-130	120-133	84-90
70	60	4XL	123-136	123-136	84-90
Measurements shown in centimete					

Total Lenght (A)

No shoes- top of head to sole of foot Chest (B)
Horizontally, under shoulder blades - Waist (C) Horizontally, fullest part of waist Hip (D)
Horizontally, fullest part of hip Inseam (E)
No shoes- from crotch
to sole of foot

Measurements shown in centimeters

Iconography

WWW

Extensive

Bartacks







Breathable Fabric



Waterproof



YKK® One-Way Zipper




YKK® Two-Way Zipper





Shaped Knee

Wearers side



1x

Gas Loop

2x

Double

Lower Arm Striping

Adjustable Hems/Cuffs

9:0

Armpit



Dapro Balaclava

PRODUCT CODE: UBAL-BL*

C1 Certification and fabric information











EN ISO 13688:2013 (EN 340:2003)

EN ISO 11612:2015 A1 B1 C1

14116:2015 Index 3

EN 1149-5:2008

Flame









Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and strechable fabric









Dapro Polar Balaclava

PRODUCT CODE: UPOLBAL-BL*

C1 Certification and fabric information



EN ISO 13688:2013 (EN 340:2003)



A1 B1 C1







14116:2015 Index 3


EN 1149-5:2008

Flame













Features

- > Unisex, one size fits all
- > Comfortable fit
- > Breathable and strechable fabric
- > Double insulating fabric layer













Dapro Frost Multi-Use Neck Warmer

PRODUCT CODE: UFRON-BL*

C1 Certification and fabric information









EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1

14116:2015 Index 3

1149-5:2008











Features

> Unisex, one size fits all





Dapro Frost Underwear Shirt

PRODUCT CODE: UFROS-BL*

C1 Certification and fabric information









EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1

14116:2015 Index 3

EN 1149-5:2008













Features

- > Comfortable fit
- > Breathable and strechable fabric



Available in colors: Sizes in stock







Available on request: US 2XS-5XL 106

Dapro Frost Underwear Pant

PRODUCT CODE: UFROP-BL*

C1 Certification and fabric information









EN 1149-5:2008

EN ISO 13688:2013 (EN 340:2003)

11612:2015 A1 B1 C1

14116:2015 Index 3

 48% Modacrylic / 42% Cotton / 5% Kevlar / 3% Nylon / 2 % Anti-static Flame-retardant and Anti-static







- > Comfortable fit
- > Breathable and strechable fabric



Available in colors: Sizes in stock





Breathable Fabric

Available on request: US 2XS-5XL 107



Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-NB*

Fabric information



Features

- > Comfortable fit
- > Breathable sweat-absorbent and strechable fabric
- > Fully fashioned knit
- > Anti-bacterial



Available in colors: Sizes in stock



EU 41-46/L (men)







Dapro Phoenix Socks

PRODUCT CODE: UPHOSO-BL*

Fabric information



 75% Cotton / 17% Polyester / 8% Snandex

Features

- > Comfortable fit
- > Breathable sweat-absorbent and strechable fabric
- > Fully fashioned knit
- > Anti-bacterial



Available in colors: Sizes in stock



EU 41-46/L (men)







Breathable Fabric





Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/CL*

Certification

CE DAP EN 166 F CE 5-3.1 DAP 1F

Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors: Sizes in stock



One Size

Navy blue Clear Lens *NB/CL



Dapro Offshore Glasses

PRODUCT CODE: EOFF-NB/DA*

Certification

Frame Marking CE DAP EN 166 F CE 5-3,1 DAP 1F

Features

- > Curved based polycarbonate lens for perfect 180 degrees vision
- > 4A coated lens, anti-scratch, anti UV, antistatic and anti-fog
- > Adjustable side arm lengths for maximum adaptability
- > Extremely tough rubber hinges
- > Impact resistance 6mm steel ball at 45 m/s
- > UV absorption 100% up to 390nm
- > Heat resistant up to 80 degrees Celsius
- > Abrasion resistant as per EN 166 standard
- > Also suitable for protection against fireworks and as sports glasses/ cycling glasses



Available in colors: Sizes in stock

Navy blue Dark Lens *NB/DA

Navy blue Clear Lens *NB/CL


One Size





Size guide Footwear

					S	HOE LE	NGTH (A)						
EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	2	3	4	41/2	51/2	6	61/2	71/2	81/2	9	10	11	12	13
USA	31/2	4	5	51/2	61/2	7	71/2	81/2	91/2	10	11	12	13	14
IN	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Mondopoint	217	225	232	240	247	255	262	270	277	285	292	300	307	315
						SHOE W	IDTH (B))						
EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
D	83	85	87	89	91	93	95	97	99	101	104	106	108	110
E	86	88	90	92	94	96	98	100	102	104	106	109	111	113
EE	88	90	92	95	97	99	101	103	105	107	109	112	114	116
EEE	91	93	95	97	99	102	104	106	108	110	112	114	117	119
EEEE	93	95	97	99	102	105	107	109	111	113	115	117	120	122



Lenght (A)

Foot width (B) is measured with the subject standing barefoot and the weight of the body equally distributed on both feet. The size of the left and right foot is often slightly different - in this case measure both feet and the shoe size is based on the larger foot.

Mondopoint is based on the mean foot length (A) for which the shoe is suitable, measured in millimeters. The width of a foot (B) is also measured in millimeters.

When establishing your size, base it on your largest measurement.

Iconography



Anti-Slip











Anti-Shock Heel

Breathable Leather

Protective Toe Cap



Leather





Water Proof



Hydrocarbon Resistant Sole



Anti Perforation Midsole



Anti-Static Sole

Dapro Offshore C S7 C

PRODUCT CODE: FOFFCS7C-BL/BL*

Certification and Information













Traction

Comfort







Features

- > Metal free
- > Full grain leather upper

F3445-21

- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light
- > Energy absorption in the heel





Available colors and sizes:



Available on request:

















Hydrocarbon

Resistant

Sole







Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Proof

Breathable Leather

Dapro Offshore C S7 C Subzero® T400 Fur

PRODUCT CODE: FOFFCS7CT4S-BL/BL*

Certification and Information

HR3T4CS7C EN ISO 20345:2022 S7S FO SR HRO CI SC

Heat Abrasion

Traction Comfort Non-marking









Features

EN 61340-5-1:2016

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





*BL/BL

Available colors and sizes:



*BR/BR







Anti-

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Proof





Hydrocarbon

Resistant

Sole





Breathable Leather





PRODUCT CODE: FFLACS1PC-BL/OR*

Certification and Information



Oil Heat Chemical Abrasion ***** ***** *****

Traction ★
Comfort ★
Non-marking





Features

- > Non-magnetic
- > Knitted polyester upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



EU 37-47



















Anti-Perforation Midsole Anti-Static Sole Anti-Slip Sole Anti-Shock Heel Water H Resistant Leather

Hydrocarbon Breathable Resistant Leather Sole



PRODUCT CODE: FBLACS3C-BL/WH*

Certification and Information



Heat Chemical Abrasion



Traction Comfort Non-marking





- > Non-magnetic
- > Nubuck finish microfiber upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:







Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip

Sole



Anti-Shock

Heel





Water

Resistant

Leather



Hydrocarbon

Resistant

Sole












PRODUCT CODE: FCOUCS3-BL/OR*

Certification and Information











Features

- > Non-magnetic
- > Grain/microfiber upper
- > Lace-up system for secure fit
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel























Protective Toe Cap **119**

Available colors and sizes:



EU 37-47



Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Resistant Sole

Breathable Leather

Dapro Elements 2 S3 C

PRODUCT CODE: FELE2S3C-BL/BL*

Certification and Information

MR2S3C

(E)

EN ISO 20345: 2011

S3 SRC

Oil Heat Chemical Abrasion **** **** ****

Traction Comfort Non-marking



Features

- > Water resistant full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel





Available colors and sizes:



*BL/BL

EU 35-48

Available on request: EU 49-50



Anti-

Perforation

Midsole



Sole



Anti-Slip





Anti-Shock



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole











PRODUCT CODE: FELE2CS3C-BL/BL*

Certification and Information

S3S FO SR HRO SC EN 61340-5-1:2016 SD10/PR F3445-21 Heat Chemical Abrasion

Traction Comfort Non-marking





Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight









Available on request:























Toe Cap 121

Anti-Slip Anti-Static Anti-Shock Water Hydrocarbon Breathable Sole Resistant Resistant Leather Sole Leather



Dapro Elements 3 C S3 C

PRODUCT CODE: FELE3CS3C-BL/BL*


Certification and Information













Features

- > Metal free
- > Full grain leather upper
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



Available on request:













Water

Resistant

Leather



Hydrocarbon

Resistant

Sole



Breathable

Leather



Anti-Static Sole

Anti-Slip

Anti-Shock



Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BL/BL*

Certification and Information















Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



EU 39-47







Anti-

Midsole



















Protective

Toe Cap 123

Anti-Slip Water Anti-Static Anti-Shock Hydrocarbon Breathable Sole Resistant Resistant Leather Leather Sole



Dapro Driller C S3 C

PRODUCT CODE: FDRICS3C-BR/BR*

Certification and Information
















Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel





Available colors and sizes:



EU 39-47















Water









Anti-Perforation Midsole

Anti-Static Sole

Anti-Slip

Anti-Shock

Hydrocarbon Resistant Resistant Leather Sole

Breathable Leather

Protective Toe Cap 124



Dapro Rigger C S3 C

PRODUCT CODE: FRIGCS3C-BL/BL*

Certification and Information





F3445-21











Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel









*BL/BL

Available on request:





Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole





Breathable Leather

Dapro Baron S3 C

PRODUCT CODE: FBARS3C-BL/BL*

Certification and Information

EN ISO 20345: 2011 S3 SRC

Heat Chemical Abrasion

Traction Comfort Non-marking



Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel









*BL/BL



Available on request:



Midsole





Anti-Static

Sole



Anti-Slip

Sole



Anti-Shock

Heel





Water

Resistant

Leather



Resistant

Sole







Dapro Noble 53 C

PRODUCT CODE: FNOBS3C-BL/BL*

Certification and Information



Oil Heat Chemical Abrasion







Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel













Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip

Sole



Anti-Shock

Heel



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole





Breathable Leather



Dapro Noble 53 C

PRODUCT CODE: FNOBS3C-BR/BR*

Certification and Information



Oil Heat Chemical Abrasion



Traction Comfort Non-marking



Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel





















Water

Resistant

Leather







Anti-Perforation Midsole Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap **128**

Dapro Noble Welding S3 C

PRODUCT CODE: FNOBWS3C-BL/BL*

Certification and Information

VR2WS3C **C**EN ISO 20345: 2011

S3 SRC

Oil Heat Chemical Abrasion ****

Traction Comfort Non-marking ****

Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Protective leather flap against welding sparks with hook-and-loop closure
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel









Available on request:



















Anti-Perforation Midsole Anti-Static Sole Anti-Slip

Anti-Shock Heel Water Hydrocarbon Resistant Resistant Leather Sole

Breathable Leather

Dapro Dauntless S3 C

PRODUCT CODE: FDAUS3C-BL/BL*

Certification and Information

VR3S3C **C**EN ISO 20345: 2011

S3 SRC

Oil Heat Chemical Abrasion **** **** **** Traction Comfort Non-marking





- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

Black *Bl

*BL/BL

Available on request:



EU 37-46





Anti-Static

Sole



Sole



Anti-Shock





Water

Resistant

Leather



Hydrocarbon

Resistant

Sole



Breathable

Leather



Dapro Dauntless S3 C SubZero® Fur

dapro

PRODUCT CODE: FDAUS3CS-BL/BL*

Certification and Information

VR3FS3C

EN ISO 20345: 2011

S3 SRC

Oil Heat Chemical Abrasion



Traction Comfort Non-marking





Features

- > Water resistant leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > PU bump cap / scuff cap
- > SubZero® Insulation
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:



Available on request:





Anti-

Perforation

Midsole

















Protective

Toe Cap

131

iti-Static Anti-Slip Anti-Shock Water Hydrocarbon Breathable Sole Sole Heel Resistant Resistant Leather Leather Sole



PRODUCT CODE: FINTS3C-BL/BL*

Certification and Information

VR4S3C EN ISO 20345: 2011 S3 SRC

Heat Chemical Abrasion

Traction Comfort Non-marking



Features

- > Water resistant leather upper
- > Reinforced leather pull up loops for easier instep
- > PU bump cap / scuff cap
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:

*BL/BL EU 38-47

Available on request:















Water

Resistant

Leather











132

Available on request: EU 35-37, 48-50



Sole

Anti-Slip

Anti-Shock

Hydrocarbon Resistant Sole

Breathable Leather

Dapro Intrepid S3 C SubZero® Fur

PRODUCT CODE: FINTS3CS-BL/BL*

Certification and Information

VR3FS3C EN ISO 20345: 2011 S3 SRC

Heat Chemical Abrasion











Features

- > Water resistant leather upper
- > Reinforced leather pull up loops for easier instep
- > PU bumpcap / scuff cap
- > SubZero® Insulation
- > Anti-perforation steel mid plate
- > Steel toe cap
- > EVA insole
- > PU/PU light weight sole for comfort
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 160 degrees Celsius
- > Anti-static sole
- > Energy absorption in the heel



Available colors and sizes:



Available on request:







Anti-

Perforation

Midsole





Anti-Slip



Anti-Shock





Water

Resistant

Leather







Hydrocarbon Resistant Sole

Breathable Leather



Dapro 3D Premium Comfort Insole

PRODUCT CODE: FHINS-NB*

Features

> This Dapro ergonomic insole is comfortable and suitable for all Dapro safety shoes / work shoes.



Available colors and sizes:





Dapro Various Laces









Dapro Round Brown Laces

PRODUCT CODE: 01-05-002

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Baron S3 C
 - Dapro Noble S3 C
- > Length: 130cm
- > Type: Round

Available in colors:

*BR/BR

Black *BL/BL

Dapro Round Black Laces

PRODUCT CODE: 01-05-003

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Baron S3 C
 - Dapro Noble S3 C
- > Length: 130cm
- > Type: Round

Dapro Flat Brown Laces

PRODUCT CODE: 01-05-018

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Dauntless S3 C
 - Dapro Dauntless S3 C Subzero® Fur
- > Length: 130cm
- > Type: Flat

Dapro Flat Black Laces

PRODUCT CODE: 01-05-016

Features

- > Sold in pairs
- > Perfect for use in:
 - Dapro Dauntless S3 C
 - Dapro Dauntless S3 C Subzero® Fur
- > Length: 130cm
- > Type: Flat



Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BL/BL*

Certification and Information

















Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:

















Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip

Sole





Anti-Shock

Heel



Proof



Sole







Hydrocarbon Breathable Resistant Leather

Dapro Petromaster C S7 C

PRODUCT CODE: FPMACS7C-BR/BR*

Certification and Information

















Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:































Resistant

Sole









Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Water Proof

Breathable Leather



Dapro Petromaster C S7 C Subzero® T400 Fur

PRODUCT CODE: FPMACS7CT4S-BL/BL*

Certification and Information



S7S FO SR HRO CLSC M/I/C EN 61340-5-1:2016 SD10/PR F3445-21 Oil Heat Chemical Abrasion ****

Traction Comfort Non-marking









Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:















Anti-

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Proof









Hydrocarbon Breathable Resistant Leather Sole

Dapro Petromaster C S7 C Subzero® T400 Fur

PRODUCT CODE: FPMACS7CT4S-BR/BR*

Certification and Information



S7S FO SR HRO CLSC M/I/C EN 61340-5-1:2016 SD10/PR F3445-21 Oil Heat Chemical Abrasion



Traction Comfort Non-marking









Features

- > Metal free
- > Full grain leather upper
- > Reflective piping for extra visibility in dark environments
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:















Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Proof



Hydrocarbon

Resistant

Sole





Breathable Leather

Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BL/BL*

Certification and Information





F3445-21











Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:









Anti-

Perforation

Midsole











Proof







Anti-Slip Anti-Static Sole Sole

Anti-Shock Heel

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap 141

Dapro Rigmaster C S7 C

PRODUCT CODE: FRMACS7C-BR/BR*

Certification and Information





F3445-21











Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



Available on request:











Midsole





Anti-Static

Sole



Anti-Slip

Sole





Anti-Shock

Heel



Proof



Hydrocarbon

Resistant

Sole





Leather





dapro

Dapro Rigmaster C S7 C Subzero® T400 Fur

PRODUCT CODE: FRMACS7CT4S-BL/BL*

Certification and Information



EN ISO 20345:2022 F2413-18
575 FO SR HRO CI SC M/I/C
EN 61340-5-1:2016 SD10/PR
ESD F3445-21

Oil Heat Chemical Abrasion *****

Traction
Comfort
Non-marking









Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:





















Water

Proof



Hydrocarbon

Resistant

Sole











Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Dapro Rigmaster C S7 C Subzero® T400 Fur

PRODUCT CODE: FRMACS7CT4S-BR/BR*

Certification and Information



S7S FO SR HRO CLSC M/I/C EN 61340-5-1:2016 SD10/PR F3445-21 Oil Heat Chemical Abrasion ****

Traction Comfort Non-marking









Features

- > Metal free
- > Full grain leather upper
- > Reinforced leather pull up loops for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane
- > 400 GSM 3Mtm Thinsulate
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

Available on request:









Anti-

Perforation

Midsole













Resistant

Sole











Anti-Static Sole



Anti-Shock Heel

Water Proof

Hydrocarbon

Breathable Leather

Dapro Female Offshore C S7 C

PRODUCT CODE: FOFFFCS7C-BE/BE*

Certification and Information

HR3CS7C EN ISO 20345:2022 S7S FO SR HRO SC EN 61340-5-1:2016

Heat Chemical Abrasion

Traction Comfort Non-marking





Features

- > Metal free
- > Full grain leather upper
- > Lace-up system for secure fit
- > Waterproof nylon zipper for easy step in/out with hook-and-loop closure on the inner side
- > TPU Abrasion resistant cuff nose / scuff cap
- > Waterproof membrane with mesh lining
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced ankle and heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces





















Water

Proof





Breathable

Leather







Anti-Static Sole

Anti-Slip

Anti-Shock Heel

Hydrocarbon Resistant Sole



Dapro Canyon C S3 C Laceless

PRODUCT CODE: FCANCS3CL-BL/BL*

Certification and Information





F3445-21









Features

- > Metal free
- > Full grain leather upper
- > Fitgo lacing system for comfort and quick release
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces













Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock





Water

Resistant

Leather



Hydrocarbon

Resistant

Sole





Breathable Leather



Dapro Elements 1 C S3 C

PRODUCT CODE: FELE1CS3C-BL/BL*

Certification and Information













Features

- > Metal free
- > Full grain leather upper
- > Abrasion resistant material used in the collar
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Reinforced heel support structure for extra support and durability
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Minimum order quantity of 400 pieces













Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock





Water

Resistant

Leather



Hydrocarbon

Resistant

Sole





Breathable Leather





Dapro Chelsea Boot C 53

PRODUCT CODE: FCHECS3-BL/BL*

Certification and Information





F3445-21









Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces













Anti-

Perforation

Midsole















Anti-Slip Water Anti-Static Anti-Shock Hydrocarbon Resistant Sole Sole Heel Resistant Sole Leather

Breathable Leather

Protective Toe Cap 148



Dapro Chelsea Boot C 53

PRODUCT CODE: FCHECS3-BR/BR*

Certification and Information















Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300 degrees Celsius
- > Anti-static ESD PU/Nitrile Rubber sole for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces













Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip

Sole



Anti-Shock

Heel



Water

Resistant

Leather



Hydrocarbon

Resistant

Sole



Leather



Breathable

Protective Toe Cap 149



PRODUCT CODE: FCOSCS3-BL/BL*

dapro

Certification and Information



Oil Heat Chemical Abrasion **** **** **** ****

Traction ★★
Comfort ★★
Non-marking



Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces























Water

Resistant

Leather







Anti-Perforation Midsole Anti-Static Sole

Anti-Slip Sole

Anti-Shock Heel

Hydrocarbon Resistant Sole

Breathable Leather

Protective Toe Cap **150**




PRODUCT CODE: FCOSCS3-BR/BR*

Certification and Information











Features

- > Metal free
- > Full grain leather upper
- > Reinforced pull up loop for easier instep
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces

































Anti-Static Sole

Anti-Slip Anti-Shock Sole Heel

Water Resistant Leather

Hydrocarbon Breathable Resistant Leather Sole

Protective Toe Cap **151**



PRODUCT CODE: FCOMCS3-BL/BL*

Certification and Information



Oil Heat Chemical Abrasion



Traction
Comfort
Non-marking



Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300° Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces















Anti-

Perforation

Midsole



Anti-Static

Sole



Anti-Slip



Anti-Shock

Heel



Water

Resistant

Leather





Hydrocarbon

Resistant

Sole









PRODUCT CODE: FCOMCS3-BR/BR*

Certification and Information



Heat Chemical Abrasion









Features

- > Non-magnetic
- > Full grain leather upper
- > Lace-up system for secure fit
- > TPU Abrasion resistant cuff nose / scuff cap
- > Anti-perforation textile mid plate (APT)
- > Composite toe cap
- > Anti-bacterial polyester mesh lining and 3D EVA insole
- > Slip resistant sole
- > Oil resistant sole
- > Heat resistant sole up to 300° Celsius
- > Anti-static ESD PU/Rubber sole with Carbon plate for comfort, durability and light weight
- > Energy absorption in the heel
- > Minimum order quantity of 400 pieces



















Anti-Slip

Sole













Perforation Midsole

Anti-Static Sole

Anti-Shock Heel

Water Resistant Leather

Hydrocarbon Breathable Resistant Leather Sole

Protective Toe Cap 153



SubZero insulation is an intermeshed cotton material which forms a mass of fiber to trap air in between the outerlayer of the shoe and your foot.

This breathable high resilient and loft material provides durable warmth retention with light weight properties for extra freedom of movement and comfort.

The perfect combination to use in protective workwear developed to work in hazardous environments.

Properties	Weight	Warmth
SUBZER®	100 GSM	
SUBZER®	150 GSM	
SUBZER®	250 GSM	
SUBZER®	300 GSM	



